Vieux Carré Commission Meeting


Wednesday, June 30, 2021




















THE COMMON TO TH


















921 Burgundy

















921 Burgundy





921 Burgundy





921 Burgundy





921 Burgundy











921 Burgundy











921 Burgundy











921 Burgundy






921 Burgundy










AREA CALCULATIONS:


| IST FLOOR: | 555 SF | 2ND FLOOR: | 555 SF | LOFT: | 144 SF | TOTAL: | 1,254 SF



KIRBY RESIDENCE 921 BURGUNDY ST. NEW ORLEANS, LA CHARLES A. BERG, ALA 900 BARTHOLOMEW ST. SUITE 207 NO., LA 70117 1ST FLOOR PLAN SHEET I A-1.0


921 Burgundy

June 30, 2021















1 FRONT ELEVATION 1/8'=1'-0'








SLATE OR ASBESTOS SHINGLES AMERICAN COLONIAL PATTERN STUCCO SM. SAND FINISH FRONT ELEVATION + SLAVE QUARTER BLDG.


1 FRONT ELEVATION 1/8'=1'-0'













THE COMMON TO TH







541 Chartres















541 Chartres – 2010

Vieux Carré Commission



June 30, 2021





























541 Chartres


Vieux Carré Commission



541 Chartres



NEW HANGING BRACKET REQUIRED








TOULOUSE ST EXISTING HANGING BRACKET

EXISTING HANGING BRACKET FOR SIGN





















June 30, 2021


















632 St Peter




632 St Peter

Vieux Carré Commission










SCALE: N.T.S.



-EXIST. UNITS

-EXIST. UNITS





UNIT	SERIES		ELEC			A	В	С	D	E	F	G	K	L	M	N	P	OPERATING			PING
*WAA246WA			RAC	_	_	22 4/01	24 427469	2 244	27.00	4 7/100	** ****	2 12/100	2 42/144	4 / 2 2	** ***	** ***	44.4431	128		DIMENSIONS	
"VA9246KA	1 !	×	0	0	0	23 1/8*	31 13/16"	3 3/4"	3/4*	4 7/16"	18 1/16*		2 13/16*	1/2"	11 1/4*	11 1/4"	14 1/2*		150		1/4" X 35 5/8"
"VA9256KA	1 !	X	0	0	0	23 1/8*	38 1/2"	3 3/4"	3/4*	4 7/16*	18 1/16*		2 13/16*	1/2"	10 3/4*	10 3/4"	18 1/4*	152	177		1/4" X 43 3/8"
VA9366KA	1	X	0	0	0	23 1/8	38 1/2"	3 3/4"	3/4*	4 7/16*	18 1/16*	7 13/16*		1/2"	10 3/4"	10 3/4"	18 1/4*	152	177		1/4" X 43 3/8"
VA9376KA	1	X	0	0	0	31 3/16	38 15/16"	3 7/8*	7/8*	6 9/16"	24 11/16*	9 1/8"	2 15/16*	5/8"	14 1/2"	14 5/8"	18 3/4*	205	242	33 3/8" X 33	
VA9486KA	1	X	0	0	0	31 3/16	38 15/16"	3 7/8*	7/8*	6 9/16"	24 11/16*	9 1/8"	2 15/16*	5/8"	14 1/2*	14 5/8"	18 3/4"	205	242	33 3/8° X 33	
"VA9496KA	1	X	0	0	0	35*	43 11/16*	3 7/8*	7/8*	6 9/16"	28 7/16*	9 1/8"	2 15/16*	5/8"	16 1/4"	16 1/4"	21 1/4"	249	285	36 1/8" X 36	1/8" X 50 3/16
VA9606KA	1	X	0	0	0	31 3/16	42 5/16"	3 7/8*	7/8*	6 9/16*	24 11/16*	9 1/8*	2 15/16*	5/8*	16 1/2*	15*	20*	229	268	33 3/8" X 33	3/8" X 49 9/16
		208/230-160	230-1-60	208/230-3-60	460-3-60	x = YES						HOTES: 1. ALL 48° AND	OW 30° CLE	ARAHCE T, 6" (EN UNI	TO SERVICE ON ONE SIDE IS FOR PROP	SIDE OF U	NIT Maining Si		SIZE	C MINI GROUND MUNITING PAD APPLICATION EDMENSIONS	"Y" MM ROOF-TOP MOUNTING PAD APPLICATION CONESISIONS
		<u>⊗</u>	83	⊗	8	0 = 00						2. MIN	INUN OUTDO	OR OPE	RATING AMBI	ENT IN COOL	ING	24,2	25,36	23 1/8"	17 3/4"
		🛪	1	ାଷ	"							MOG	€ IS 55°F,	HAX. 1	15°F.			- 17	0.00	25 3/4"	20 7/16"
						,						3. SER	IES DESIGN	ATION 1	S THE 10TH	POSITION (F THE		18,60	31 3/16"	26 3/4"
													T WODEL NU							33	20 3/4
												4. CEN	TER OF GRA	VITY 🤄	₽.						
						 			-A-so		-	1 5. ALL	DIMENSION	S ARE	IN "INCHES"	UNLESS NO	ED.				
									50												
								AIR	DISCHA	RGE						-	м	-			
								١.		,							•••		AIR		
								1	Ī	/								AIR IN	DISCHARGE		
	_					_		<u>`</u>	<u> </u>	_ ′							_	11/			
	Ť						-		36 5001	A PARAGRAM	Marie Co.							1'/			
											+	Į.				-		 - /	_		
							T T	***************************************	minin	**************	· · · · · · · · · · · · · · · · · · ·	1								\	
						p==	₽									V (CAT)	HITTE			. 1	
							I M I										44			1	
								111111111	Ш							1 HW10	KD240111111	111111111111111111		1	
																	rr exiiii		H NORTH	 	-
								*******									11M111111	111111111111111	11111111111111111111111111111111111111		
											III === =								111111788		
							∣ ∥ 1				W ====					1 111111111			111111111111111111111111111111111111111		
	J																11111111111	(1 1111)			
	B					.	1	ЩЩЩ	ЩШ				,	VIR IM-	_					1 1	
	- '	FIFFD	POWER	30PPL Ø1 1/	Y CONI	ľė¬\ I		₩₩	, ,,,,,,,,,		# ===		-			 		-			
				<i>p</i>		. /		111111111111111111111111111111111111111	allill				t							1 1 5	- AIF
		FI	ELD CO	HTROL	\neg	Λ	1 III I	шшш	шш				1			1 H#HDM		1101111111111111	111111111111111111111111111111111111111		
		1	SUPPLY	CONN.	. \	. 1	1 111 1						1				PALLI IIII	11111111111111		l Ņ l	
			yo 110			/ /	∣ Щ [1			LAMEN I	(P)				
			TAULTS		3/8" -	7/ F#	∎ لاط	********			₩₩		þ	_ F;	3*				113111411 199 77	/ I I I	
			IQUID	LINE (CUMM.	11	, , , <u>, , , , , , , , , , , , , , , , </u>						ì	+	гL	₩ \				/ F	
				- 1	ı	. \Mr	VL III		ШШ					1.		₽	<u> </u>			_ + + +	
				1		i VII-	品川	ШШШ				1 1			5/16*		1				
					. ,	1/2	31 X	¥1111111	milli		* •					ľ. l	1				
	<u> </u>					7			-			1 7/8*	<u>i</u>		-	-l K ├	1				
						1						1					I	L _{AIR I}			
		_			1	' / [-		-Y _e π			'		Ø318	* TIEDOWN K	CNOCKOUTS-	Ī	I	· I	Model	Siz

Representative drawing only.	some models may	vary in annearance

Model Number	Size (tons)	Nominal Btu/hr	Min. Circuit Ampacity	Max. Fuse or Breaker	Operating Dimensions height x length/width (sq.) in. (mm)	Operating/Ship Weight lbs. (kg)
HVA924GKA	2	24,000	13.5	20	31-13/16 x 23-1/8 (807 x 587)	128/150(58/68)
HVA925GKA‡	VA925GKA‡ 2		23.6	40	38-1/2 x 23-1/8	152/177 (69/80)
HVA936GKA	3	36,000	24.2	40	(980 x 587)	152/177 (69/80)
HVA937GKA‡	3	36,000	26.0	40	38-15/16 x 31-3/16	205/242 (93/110)
HVA948GKA	4	48,000	27.3	40	(989 x 792)	205/242 (93/110)
HVA949GKA‡	4	48,000	26.0	40	43-11/16 x 35 (1111 x 889)	249/285 (113/129)
HVA960GKA	5	60,000	40.0	60	42-5/16 x 31-3/16 (1075 x 792)	229/268(104/121)

^{‡ =} Meets Energy Star criteria when matched with appropriate coil


* = C, H, T

ØD VAPOR LINE CONN.-



Appeals and Violations










Vieux Carré Commission June 30, 2021











528 St Louis – 1970











Vieux Carré Commission





































528 St Louis









528 St Louis













528 St Louis








































528 St Louis











528 St Louis



PARISH OF ORLEANS

STATE OF LOUISIANA

BEFORE ME, the undersigned Notary Public, personally came and appeared:

Theodore W Nass

who after being duly sworn attested to the following:

1. I am the previous owner, of 528 St. Louis St., Unit 1, New Orleans, Louisiana;

2021.

- 2. I owned the property from 9/30/09 to 8/31/20.
- 3. When I purchased the property on 9/30/09 the iron bars and French doors on the first floor were installed as they stand today and when I purchased the property;

SWORN TO AND SUBCRIBED BEFORE ME, NOTARY PUBLIC,

THIS 5 DAY OF MAU


, NOTARY PUBLIC

LSB# 09896

My commission expires upon my death.



528 St Louis – submitted by applicant





528 St Louis – submitted by applicant










Vieux Carré Commission June 30, 2021



528 St Louis – submitted by applicant: Google streetview, 2011



Vieux Carré Commission June 30, 2021



528 St Louis – submitted by applicant: Google streetview, 2013

Vieux Carré Commission June 30, 2021