



CPC DRAWINGS

SMFA 4PLEX - ADDITION / RENOVATION

7229 Zimpel St.
New Orleans LA, 70118



KEYNOTES - SHEET	
Key Value	Keynote Text
N-01	EXISTING ROOF RECENTLY REPLACED. PROVIDE BATT INSULATION AT ATTIC CEILING AND CONDITION ATTIC AS REQ'D FOR IECC REQUIREMENTS. RE: MEP.
N-02	RIDGE VENT AT ROOF, TYP.
N-08	NEW PERVIOUS PAVERS THIS LOCATION
N-09	NEW GRADING/SOD AS REQ'D
N-12	6" ALUMINUM BAKED HALF ROUND STYLE GUTTERS CONNECTED TO ALUMINUM ENAMEL BAKED 4" CIRCULAR DOWNSPOUTS BELOW, TYP. FOR ALL INSTANCES. TYP. FOR ALL INSTANCES. PROVIDE SPLASH-BLOCK OR DOWNSPOUT BOOT AS REQ'D.
N-17	EXTERIOR WD. STAIR TO MATCH WD. PORCH/DECK. TREATED FRAMING, TYP. RE: DETAILS / STRUCT.
N-27	AERITAS HERITAGE TONGUE AND GROOVE DECKING INSTALLED OVER DOUBLE SLEEPERS WHERE REQ'D (JOIST DROPPED 3". RE: STRUCT.). SLOPE NEW DECKING TO DRAIN (1/4" OVER 1' MIN.) PROVIDE ICE AND WATER SHIELD AND FLASHING AS REQ'D. RE: DETAILS

Energy Code Compliance Summary IECC 2021		PARISH	CLIMATE ZONE 2A FOR ORLEANS
COMPLIANCE METHOD		CHECK	
PRESCRIPTIVE		✓	
RESCHECK (http://www.energycodes.gov/rescheck)			
COMCHECK (http://www.energycodes.gov/comcheck)			
BUILDING AREA		VALUE	
TOTAL AREA (SQ FT) OF CONDITIONED SPACE		4477	
INSULATION VALUES (R40Z)		ENTER R VALUE	
CEILING/ROOF		R-38	
WALLS		R-13	
BASEMENT		/	
FLOOR		R-13	
SLAB		/	
CRAWLSPACE		/	
HEATING EQUIPMENT		EFFICIENCY (BTU/S/RATING)	
ELECTRIC TBD. SEE GENERAL NOTE 1 BELOW.		TBD. SEE GENERAL NOTE 1 BELOW.	
GAS TBD. SEE GENERAL NOTE 1 BELOW.		TBD. SEE GENERAL NOTE 1 BELOW.	
COOLING EQUIPMENT		EFFICIENCY (BTU/SEER)	
TBD. SEE GENERAL NOTE 1 BELOW.		/ GREATER THAN OR EQUAL TO 10 HSPF RE SEER AIR SOURCE HEAT PUMP GREATER THAN OR EQUAL TO 3.5 COP GROUND SOURCE HEAT PUMP	
FENESTRATION U VALUE		U-VALUE	
40 MAX.			
FENESTRATION SHGC		SHGC	
25 MAX.			
SKYLIGHT U VALUE		U-VALUE	
N/A			

GENERAL NOTES:
1. Missing information regarding A/C and heating equipment and efficiency to be determined by sub-contractor according to Heat Load Manual / calculations (to be submitted prior to mechanical inspection.)

SHEET LIST					
Sheet Number	Sheet Name	Sheet Issue Date	Current Revision	Current Revision Date	Current Revision Description
TITLE					
T1.1	TITLE SHEET	01/16/25			
SITE/GENERAL INFO					
A1.1	SITE PLAN - EXIST & PROPOSED	01/16/25			
ARCHITECTURE					
A2.1	FLOOR PLANS - EXISTING/DEMO	01/16/25			
A2.2	FLOOR PLANS - PROPOSED	01/16/25			
A3.1	EXTERIOR ELEVATIONS - EXISTING/DEMO	01/16/25			
A3.2	EXTERIOR ELEVATIONS - PROPOSED	01/16/25			

PROJECT / CONTRACT INFORMATION

PROJECT DESCRIPTION
EXISTING MULTI FAMILY BUILDING CONVERTED INTO SMFA AFFORDABLE 4- PLEX. 3 NEW UNITS ON REAR. LESS THAN 50% DEMO OF EXISTING ROOF. LESS THAN 50% DEMO OF SIDES AND REAR. EXISTING FRONT FACADE TO REMAIN. NEW MEP THROUGHOUT. NEW FINISHES AND FIXTURES THROUGHOUT

PERMIT TYPE
ADDITION / STRUCTURAL RENO

SFM, LEVEL OF ALTERATION
LEVEL 4

OWNER:
JAMES SPALT
7229 ZIMPEL ST
NEW ORLEANS LA 70118
JS@NDVRPARTNERS.COM

ARCHITECT
ZACH SMITH CONSULTING & DESIGN
1000 S NORMAN C FRANCIS PKWY
NEW ORLEANS, LA 70125
504-383-3748
ZACH@ZACHSMITHCONSULTING.COM

MEP ENGINEER
TBD

STRUCTURAL/CIVIL ENGINEER
AP DESIGN GROUP
JOSHUA JUNEAU, PE
504-410-5322
JJUNEAU@AP-ENG.COM

ZONING/CODE INFORMATION

ZONING DISTRICT: HU-RD2 HISTORIC URBAN TWO-FAMILY RESIDENTIAL
OVERLAY DISTRICT:
• RESIDENTIAL STR IZD
• B&B IZD
• COMMERCIAL STR IZD
• NON-COMMERCIAL SHORT TERM RENTAL SPECIAL EXCEPTION INTERIM ZONING DISTRICT
• UNIVERSITY AREA OFF-STREET PARKING OVERLAY DISTRICT
• UNIVERSITY AREA DESIGN OVERLAY

HDLC DISTRICT: NOHDLC UPTOWN PARTIAL

PROPOSED DEVELOPMENT:
NEW LOT B DIMENSIONS: 47' X 120'

CONSTRUCTION TYPE:
IBC/IFC: NFPA: COMMON TERMINOLOGY:
TYPE V-A V (000) PROTECTED COMBUSTIBLE

OCCUPANCY TYPE:
IBC: RESIDENTIAL (R-2)
NFPA: RESIDENTIAL , GROSS SF: 5863 (INCLUDING UNDER HOUSE STORAGE)

SPRINKLERED / FIRE ALARM:
YES / YES

APPLICABLE CODES:
• 2021 IBC WITH NEW ORLEANS CODE ADOPTIONS
(BUILDINGS, STRUCTURES, APPURTENANCES AND PARTS THEREOF BE DESIGNED TO WITHSTAND A BASIC (NOMINAL) WIND SPEED OF 130 MPH, EXPOSURE B, IN ACCORDANCE WITH 2021 IBC, SECTION 1609)
• 2021 INTERNATIONAL MECHANICAL CODE
• 2021 LOUISIANA STATE PLUMBING CODE
• NFPA 70, 2020 NATIONAL ELECTRIC CODE
• 2021 INTERNATIONAL FUEL CODE
• 2021 INTERNATIONAL ENERGY CONSERVATION CODE
• 2021 INTERNATIONAL EXISTING BUILDING CODE

PROJECT INFORMATION

- THE GENERAL CONTRACTOR IS RESPONSIBLE TO SUPPLY ALL SUBCONTRACTORS WITH CONSTRUCTION DRAWINGS AND SPECIFICATIONS NECESSARY TO BID AND/OR CONSTRUCT THIS PROJECT.
- TO THE GENERAL CONTRACTOR AND ALL SUBCONTRACTORS: ALL CONTRACTORS ARE RESPONSIBLE TO NOTIFY THE ARCHITECT OF ANY ERRORS, OMISSIONS OR DISCREPANCIES PRIOR TO MAKING ANY CHANGES TO THE CONSTRUCTION DOCUMENTS.
- ALL DIMENSIONS ON THE FLOOR PLANS, UNLESS OTHERWISE NOTED, ARE TAKEN FROM INSIDE FACE OF STUDS OF EXTERIOR WALLS, CENTER OF STUDS OF NEW INTERIOR PARTITIONS, FACES OR CENTERLINE OF STRUCTURAL COLUMNS, AND FACES OF EXISTING WALLS.
- IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR WILL BE SOLELY AND COMPLETELY RESPONSIBLE FOR CONDITIONS OF THE JOB SITE, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY DURING PERFORMANCE OF WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO INSURE THE SAFETY OF THE PUBLIC AND/OR WORK PERSONS ON THE JOB TO PREVENT ACCIDENTS OR INJURY TO ANY PERSON ON, ABOUT OR ADJACENT TO THE PREMISES. THE CONTRACTOR SHALL COMPLY WITH ALL LAWS, ORDINANCES, CODES, RULES AND REGULATIONS RELATIVE TO SAFETY AND THE PREVENTION OF ACCIDENTS.
- WHETHER OR NOT SPECIFICALLY INDICATED ON THE DRAWINGS, ALL CONTRACTORS SHALL BE RESPONSIBLE FOR REMOVING OR DEMOLISHING EXISTING CONSTRUCTION (INCLUDING UTILITIES) WHICH WILL INTERFERE WITH NEW WORK.
- PRIOR TO THE SHUT-DOWN OR TYING INTO ANY UTILITY, APPROVAL SHALL BE OBTAINED FROM THE OWNER'S REPRESENTATIVE.
- COORDINATE WITH OWNER'S REPRESENTATIVE THE LOCATION OF CONTRACTOR'S EQUIPMENT AND MATERIAL STORAGE.
- THE CONSTRUCTION DRAWINGS CONTAIN INFORMATION FOR MULTIPLE CONTRACTORS. OWNER PROVIDED AND INSTALLED ITEMS ARE SHOWN FOR INFORMATIVE PURPOSES. THE GENERAL CONTRACTOR SHALL VERIFY OWNER PROVIDED AND INSTALLED ITEMS AND COORDINATE INSTALLATION WITH OWNER'S REPRESENTATIVE TO AVOID CONFLICTS OR DISCREPANCIES.
- CONTRACTOR SHALL PROVIDE AND INSTALL ALL MATERIALS IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL CODES.
- ALL PERMIT FEES SHALL BE PAID BY CONTRACTOR.
- CONTRACTOR SHALL BE RESPONSIBLE FOR AND PAY FOR ALL UTILITY DEPOSITS, IMPACT FEES AND CONNECTION FEES REQUIRED.

GENERAL NOTES - PROJECT

ZACH SMITH
CONSULTING & DESIGN

1000 S Norman C Francis Parkway 2nd Floor
New Orleans, LA 70125
zach@zachsmithconsulting.com
+1 (504) 383-3748

SMFA 4PLEX - ADDITION / RENOVATION
7229 Zimpel St.
New Orleans LA, 70118

No.	Description	Date

NOT FOR
CONSTRUCTION

TITLE SHEET

PROJECT STATUS	
Date	01/16/25



T1.1

KEYNOTES - SHEET	
Key Value	Keynote Text
N-01	EXISTING ROOF RECENTLY REPLACED. PROVIDE BATT INSULATION AT ATTIC CEILING AND CONDITION ATTIC AS REQ'D FOR IECC REQUIREMENTS. RE: MEP.
N-02	RIDGE VENT AT ROOF, TYP.
N-08	NEW PERVIOUS PAVERS THIS LOCATION
N-09	NEW GRADING/SD AS REQ'D.
N-12	6" ALUMINUM BAKED HALF ROUND STYLE GUTTERS CONNECTED TO ALUMINUM ENAMEL BAKED 4" CIRCULAR DOWNSPOUTS BELOW, TYP. FOR ALL INSTANCES. TYP. FOR ALL INSTANCES. PROVIDE SPLASH-BLOCK OR DOWNSPOUT BOOT AS REQ'D.
N-17	EXTERIOR WD. STAIR TO MATCH WD. PORCH/DECK. TREATED FRAMING, TYP. RE: DETAILS / STRUCT.
N-27	AERITAS HERITAGE TONGUE AND GROOVE DECKING INSTALLED OVER DOUBLE SLEEPERS WHERE REQ'D (JOIST DROPPED 3", RE: STRUCT.) SLOPE NEW DECKING TO DRAIN (1/4" OVER 1' MIN.) PROVIDE ICE AND WATER SHIELD AND FLASHING AS REQ'D. RE: DETAILS

DEMO AT SIDES AND REAR
300 SF (RIGHT)
550 (REAR)
600 (LEFT)

3192 SF TOTAL SF (SIDES AND REAR)
1450 TOTAL DEMO (45%) - NOT TO EXCEED 49%

LESS THAN 50% DEMO AT ROOF
982 SF DEMOLISHED OF 2617 (37%)



SMFA 4PLEX - ADDITION / RENOVATION
7229 Zimpel St.
New Orleans LA, 70118

No.	Description	Date

NOT FOR CONSTRUCTION

SITE PLAN - EXIST & PROPOSED

PROJECT STATUS	
Date	01/16/25

A1.1


ZACH SMITH
CONSULTING & DESIGN

1000 S Norman C Francis Parkway 2nd Floor
New Orleans, LA 70125
zach@zachsmithconsulting.com
+1 (504) 383-3748

Autodesk Docs//7221 Zimpel/7221 Zimpel_RENO CCS_B.M
1/16/2025 11:54:45 AM

2ND FLOOR


2 | 2ND FLOOR PLAN - EXISTING/DEMO
3/16" = 1'-0"



KEYNOTES - SHEET	
Key Value	Keynote Text
N-43	EXISTING WD. FLOORS TO REMAIN. INFILL WD. FLOORS TO MATCH EXISTING.

1ST FLOOR

1 | 1ST FLOOR PLAN - EXISTING/DEMO
3/16" = 1'-0"



DEMO AT SIDES AND REAR
300 SF (RIGHT)
550 (REAR)
600 (LEFT)

3192 SF TOTAL SF (SIDES AND REAR)
1450 TOTAL DEMO (45%) - NOT TO EXCEED 49%

LESS THAN 50% DEMO AT ROOF
982 SF DEMOLISHED OF 2617 (37%)

- CONTRACTOR TO VERIFY, BEFORE DEMOLITION, ANY EXISTING MECHANICAL OR ELECTRICAL SYSTEMS IN EXISTING WALLS TO BE DEMOLISHED AS REQUIRED IN DRAWINGS AND VERIFY THROUGH ULTRASOUND TESTING ALL EXISTING SLAB CONDITIONS IN THESE AREAS. CONTRACTOR TO COORDINATE COURSE OF ACTION WITH OWNER AND ARCHITECT IN FIELD. CLOSE, CAP, AND DISCONNECT CONNECTION TO EXISTING SERVICE AS REQUIRED. REFER TO MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS. REFER TO MEP DEMOLITION SHEETS FOR ADDITIONAL INFORMATION.
- CONTRACTOR RESPONSIBLE FOR DEMOLITION OF INDICATED WALLS & ASSOCIATED MATERIALS.
- CONTRACTOR TO BRACE EXISTING FRAMING AND STRUCTURE AS REQUIRED TO MAINTAIN STRUCTURAL INTEGRITY OF EXISTING AND TO PREVENT COLLAPSE DURING CONSTRUCTION. PROTECT EXISTING FRAMING AND MATERIALS AS NEEDED DURING CONSTRUCTION. CONTRACTOR RESPONSIBLE FOR ALL MEANS AND METHODS OR BRACING. COORDIANTE WITH ENGINEER AS NEEDED FOR SPECIAL BRACING CONDITIONS THAT MIGHT BE NECESSARY DURING DEMO/CONSTRUCTION.
- WHETHER OR NOT IT IS SPECIFICALLY INDICATED ON THE DRAWINGS, THE CONTRACTOR SHALL REMOVE AND DEMOLISH ALL EXISTING CONSTRUCTION, INCLUDING UTILITIES, WHICH WILL INTERFERE WITH NEW WORK. CONTRACTOR WILL COORDINATE SAFETY PRECAUTIONS WITH BUILDING REPRESENTATIVE.
- EXISTING DRAWINGS HAVE BEEN PROVIDED BY THE OWNER AND MAY NOT ACCURATELY REPRESENT ALL EXISTING CONDITIONS. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR WALKING THROUGH AND ADVISING THE ARCHITECT OF READILY APPARENT DISCREPANCIES OR CONDITIONS WHICH ADVERSELY AFFECT CONSTRUCTABILITY OF THE WORK.
- CONTRACTOR TO COORDINATE LOCATION OF DUMPSTERS WITH THE OWNER. PRIOR TO SHUT DOWN OR TYING INTO ANY UTILITY, APPROVAL SHALL BE OBTAINED FROM THE BUILDING REPRESENTATIVE FOR AN APPROPRIATE TIME.
- CONTRACTOR TO REPAIR AS REQUIRED ALL AFFECTED ADJOINING AREAS TO MATCH NEW CONSTRUCTION.
- IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR WILL BE SOLELY AND COMPLETELY RESPONSIBLE FOR CONDITIONS OF THE JOB SITE, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY DURING PERFORMANCE OF WORK. THIS REQUIREMENT APPLIES CONTINUOUSLY AND WILL NOT BE LIMITED TO NORMAL WORKING HOURS. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO INSURE THE SAFETY OF THE PUBLIC AND/OR WORK PERSONS ON THE JOB AND TO PREVENT ACCIDENTS OR INJURY TO ANY PERSONS ON, ABOUT OR ADJACENT TO THE PREMISES. THE CONTRACTOR SHALL COMPLY WITH ALL LAWS, ORDINANCES, CODES, RULES, AND REGULATIONS RELATIVE TO SAFETY AND THE PREVENTION OF ACCIDENTS. CONTRACTOR SHALL COORDINATE SAFETY PRECAUTIONS WITH BUILDING REPRESENTATIVE.

GENERAL NOTES - DEMO
1/8" = 1'-0"

SMFA 4PLEX - ADDITION / RENOVATION
7229 Zimpel St.
New Orleans LA, 70118

No.	Description	Date

NOT FOR
CONSTRUCTION

FLOOR PLANS -
EXISTING/DEMO


PROJECT STATUS	
Date	01/16/25

A2.1

ZACH SMITH
CONSULTING & DESIGN


1000 S Norman C Francis Parkway 2nd Floor
New Orleans, LA 70125
zach@zachsmithconsulting.com
+1 (504) 383-3748

Autodesk Docs/7721 Zimpel/7721 Zimpel_RENO CCS_B.M
1/16/2025 11:54:47 AM



2ND FLOOR 2808 GROSS SF

2 2ND FLOOR PLAN
3/16" = 1'-0"



1ST FLOOR 3225 GROSS SF

1 1ST FLOOR PLAN
3/16" = 1'-0"

KEYNOTES - SHEET	
Key Value	Keynote Text
N-10	NEW WOOD FENCE. RE: SITE DETAILS. COORDINATE HARDWARE SELECTION WITH OWNER. (HOLD DETAILING IF REQUIRED)
N-27	AERITAS HERITAGE TONGUE AND GROOVE DECKING INSTALLED OVER DOUBLE SLEEPERS WHERE REQ'D (JOIST DROPPED 3". RE: STRUCT.) SLOPE NEW DECKING TO DRAIN (1/4 OVER 1" MIN.) PROVIDE ICE AND WATER SHIELD AND FLASHING AS REQ'D. RE: DETAILS
N-43	EXISTING WD. FLOORS TO REMAIN. INFILL WD. FLOORS TO MATCH EXISTING.
N-43.1	NEW LVT FLOORING. COORDINATE FINISH SELECTION WITH OWNER. RE: FINISH SCHEDULE

UNIT 4
3 / 2.5 = 1215 SF

681 SF (FIRST)
534 SF (SECOND)

UNIT 3
3 / 2.5 = 1215 SF

681 SF (FIRST)
534 SF (SECOND)

UNIT 2
3 / 2.5 = 1182 SF

648 SF (FIRST)
534 SF (SECOND)

4 UNITS

2X 3 BED / 2.5 NATH @ 1215 SF INTERIOR
1X 3 BED / 2.5 BATH @ 1182 SF INTERIOR
1X 3BED / 2 BATH @ 865 SF

4477 SF LIVING TOTAL (INTERIOR)

60 SF NEW PORCHES + REAR DECK
250 SF EXISTING FRONT PORCH
1076 EXISTING GROUND FLOOR STORAGE

SECTION 114000 - KITCHEN APPLIANCES
1. GENERAL
1.1 SUMMARY: PROVIDE AND INSTALL KITCHEN APPLIANCES AS SPECIFIED AND SHOWN ON THE DRAWINGS.
1.2 SUBMITTALS: SUBMIT PRODUCT DATA SHEETS FOR EACH APPLIANCE, INCLUDING MANUFACTURER, MODEL NUMBER, AND PERFORMANCE SPECIFICATIONS. PROVIDE INSTALLATION INSTRUCTIONS AND WARRANTY INFORMATION FOR OWNER APPROVAL PRIOR TO PURCHASING.
1.3 QUALITY ASSURANCE: APPLIANCES TO BE FROM MANUFACTURERS WITH A MINIMUM OF 5 YEARS OF INDUSTRY EXPERIENCE AND POSITIVE REVIEWS. ENSURE APPLIANCES COMPLY WITH RELEVANT SAFETY AND ENERGY STANDARDS, INCLUDING UL, ETL, AND ENERGY STAR® RATINGS.
2. PRODUCTS: SEE INDIVIDUAL KEY NOTES FOR PRODUCTS
2.1 PERFORMANCE CRITERIA:
ENERGY EFFICIENCY: ALL APPLIANCES TO MEET OR EXCEED [INSERT SPECIFIC ENERGY EFFICIENCY STANDARDS, E.G., ENERGY STAR®] TO MINIMIZE ENERGY CONSUMPTION AND OPERATIONAL COSTS.
DURABILITY: APPLIANCES TO BE CONSTRUCTED OF HIGH-QUALITY MATERIALS FOR LONG-TERM RELIABILITY AND RESISTANCE TO TYPICAL WEAR AND TEAR.
NOISE LEVELS: APPLIANCES TO OPERATE WITHIN ACCEPTABLE NOISE LEVELS, ENSURING MINIMAL DISTURBANCE IN APARTMENT SETTINGS. [INSERT SPECIFIC NOISE LEVELS IF APPLICABLE, E.G., DISHWASHERS ≤ 50 DBA]
EASE OF USE: APPLIANCES TO FEATURE USER-FRIENDLY CONTROLS AND INTERFACES, ENSURING EASE OF OPERATION FOR ALL RESIDENTS.
3. EXECUTION
3.1 INSTALLATION: INSTALL APPLIANCES ACCORDING TO MANUFACTURERS INSTRUCTIONS AN LOCAL CODES. VERIFY PROPER OPERATION AND ADJUST SETTINGS AS NEEDED. ALL POWER/WATER CONNECTORS TO BE PROVIDED.
3.2 TESTING: TEST ALL APPLIANCES TO ENSURE THEY ARE OPERATING CORRECTLY AND EFFICIENTLY.

- BATHROOM FAUCET: B.O.D. MOEN DOUBLE HANDLE CENTERSET BATHROOM FAUCET FROM THE BRANTFORD COLLECTION (VALVE INCLUDED). MODEL: 66610.8 SINK BASE BOD: 30 IN. W X 19 IN. D X 33 IN. H SINGLE SINK FREESTANDING BATH VANITY IN PEARL GRAY WITH WHITE CULTURED MARBLE TOP
- WATER CLOSET: B.O.D. GLACIER BAY, 12 INCH ROUGH IN TWO-PIECE 1.28 GPF SINGLE FLUSH ELONGATED TOILET IN WHITE SEAT INCLUDED
- COUNTERTOP: 2CM GRANITE W/BACKSPLASH, OWNER TO CHOOSE COLOR
- REFRIGERATOR: B.O.D. LG, 30 IN. W 20 CU. FT. TOP FREEZER REFRIGERATOR W/ MULTI-AIR FLOW AND REVERSIBLE DOOR IN STAINLESS STEEL.ENERGY STAR
- KITCHEN SINK: STANDARD 30" SINGLE BOWL UNDERMOUNT KITCHEN SINK, STAINLESS STEEL.
- REFRIGERATOR: B.O.D. FRIGIDAIRE, 30 IN. 5 BURNER ELEMENT FREESTANDING ELECTRIC RANGE IN BLACK WITH EVENTEMP AND STEAM CLEAN
- MICROWAVE: B.O.D. GE, 1.6 CU. FT. OVER-THE-RANGE MICROWAVE IN STAINLESS STEEL, RE-CIRCULATING VENT CONFIGURATION.
- RANGE: B.O.D. GE 30 IN. 4 BURNER ELEMENT FREE-STANDING ELECTRIC RANGE IN STAINLESS STEEL W/STAINLESS KNOBS
- CABINETS: B.O.D. PAINTED WOOD WITH A MINIMUM THICKNESS OF ¾ INCH FOR DOORS AND ½ INCH FOR CABINET BOXES. SOFT CLOSERS AND HARDWARE INCLUDED.
- SHOWER: CUSTOM BUILT SHOWER SURROUND, SCHLUTER-SHOWER SYSTEM WITH CEMENT BOARD SURROUND CLAD IN SUBWAY TILE. FACUET: B.O.D. DELTA FOUNDATIONS SINGLE-HANDLE 1-SPRAY SHOWER FAUCET IN CHROME (VALVE INCLUDED). PROVIDE 5/8 IN. TEMPERED GLASS SHOWER DOOR, PANEL, AND RELATED HARDWARE.

PRODUCT BASIS OF DESIGN (B.O.D.) SELECTIONS

SMFA 4PLEX - ADDITION / RENOVATION
7229 Zimpel St.
New Orleans LA, 70118

ZACH SMITH
CONSULTING & DESIGN
1000 S Norman C Francis Parkway 2nd Floor
New Orleans, LA 70125
zach@zachsmithconsulting.com
+1 (504) 383-3748

No.	Description	Date


NOT FOR
CONSTRUCTION

FLOOR PLANS -
PROPOSED


PROJECT STATUS	
Date	01/16/25

A2.2

Autodesk Docs//7221 Zimpel/7221 Zimpel_RENO CCS_B.M
1/16/2025 11:54:57 AM




KEY PLAN - ELEVATION - DEMO



NO DEMO AT FRONT FACADE (0%)

3 | SOUTH ELEVATION - DEMO
3/16" = 1'-0"




550 SQ FT DEMO (550 SQ FT. FACADE TOTAL) - 100%

2 | NORTH ELEVATION - DEMO
3/16" = 1'-0"



300 SQ FT DEMO (1321 SQ FT. FACADE TOTAL) - 23%

1 | EAST ELEVATION - DEMO
3/16" = 1'-0"



600 SQ FT DEMO (1321 SQ FT. FACADE TOTAL)

4 | WEST ELEVATION - DEMO
3/16" = 1'-0"

DEMO AT SIDES AND REAR
300 SF (RIGHT)
550 (REAR)
600 (LEFT)

3192 SF TOTAL SF (SIDES AND REAR)
1450 TOTAL DEMO (45%) - NOT TO EXCEED 49%

LESS THAN 50% DEMO AT ROOF
982 SF DEMOLISHED OF 2617 (37%)

KEYNOTES - SHEET	
Key Value	Keynote Text

ZACH SMITH
CONSULTING & DESIGN

1000 S Norman C Francis Parkway 2nd Floor
New Orleans, LA 70125
zach@zachsmithconsulting.com
+1 (504) 383-3748

SMFA 4PLEX - ADDITION / RENOVATION
7229 Zimpel St.
New Orleans LA, 70118


No.	Description	Date

NOT FOR
CONSTRUCTION


EXTERIOR
ELEVATIONS -
EXISTING/DEMO

PROJECT STATUS	
Date	01/16/25

A3.1




KEY PLAN - ELEVATION



6 EXTERIOR PERSP - FROM CORNER

KEYNOTES - SHEET	
Key Value	Keynote Text
N-01	EXISTING ROOF RECENTLY REPLACED. PROVIDE BATT INSULATION AT ATTIC CEILING AND CONDITION ATTIC AS REQ'D FOR IECC REQUIREMENTS. RE: MEP.
N-02	RIDGE VENT AT ROOF, TYP.
N-10	NEW WOOD FENCE. RE: SITE DETAILS. COORDINATE HARDWARE SELECTION WITH OWNER. (HDLG DETAILING IF REQUIRED)
N-12	6" ALUMINUM BAKED HALF ROUND STYLE GUTTERS CONNECTED TO ALUMINUM ENAMEL BAKED 4" CIRCULAR DOWNSPOUTS BELOW, TYP. FOR ALL INSTANCES. TYP. FOR ALL INSTANCES. PROVIDE SPLASH-BLOCK OR DOWNSPOUT BOOT AS REQ'D.
N-17.1	EXTERIOR CONCRETE STAIR. SLOPE TO DRAIN. RE: DETAILS / STRUCT.
N-17.2	EXTERIOR CONCRETE SLAB. SLOPE TO DRAIN.
N-18	EXTERIOR METAL GUARDRAIL @ 42" A.F.F. PROVIDE BLOCKING (OR DRILL AND EPOXY AT CONCRETE) AS REQ'D FOR MOUNT. PROVIDE HANDRAIL AT 34" AT STAIRS, TYP.
N-20	NEW EXTERIOR WALL. 2X STUDS W/ BATT INSULATION, GYP. INTERIOR, EXTERIOR SHEATHING AND WEATHER BARRIER. PROVIDE 2X HEADERS AND FLASHING AT ALL OPENINGS PER WINDOW/DOOR MANUF. RE: WALL TYPES & STRUCTURAL. RE: ELEVATIONS FOR FINISH MATERIAL (HARDIE SIDING, WOOD SIDING, STUCCO, METAL PANEL, ETC.)
N-24	NEW WINDOW. RE: WINDOW SCHEDULE. (COORDINATE APPROVAL WITH HDLC IF IN HDLC NEIGHBORHOOD) PROVIDE WIND BORN DEBRIS PROTECTION AS REQUIRED BY CODE.
N-34	FOUNDATION (CMU PIER / GRADE BEAM / SPREAD FOOTING). SEE STRUCTURAL FOR FRAMING AND CONSTRUCTION DETAILS. PROVIDE STUCCO FINISH ON CMU PIERS OR CHAIN WALLS. TYP. FLOOD VENTS IF REQ'D. (COORDINATE APPROVAL WITH HDLC IF REQ'D)
N-42.1	TREATED WD. SKIRT BOARD WITH METAL DRIP.




3 SOUTH ELEVATION - PROPOSED
3/16" = 1'-0"



1 EAST ELEVATION - PROPOSED
3/16" = 1'-0"



2 NORTH ELEVATION - PROPOSED
3/16" = 1'-0"



4 WEST ELEVATION - PROPOSED
3/16" = 1'-0"

No.	Description	Date

NOT FOR
CONSTRUCTION

EXTERIOR
ELEVATIONS -
PROPOSED

PROJECT STATUS	
Date	01/16/25