


DRAWING NAME: P:\Projects\13-008 RTA - Canal Blvd. Terminal Drawings\Architectural\A-005.dwg PLOTTED: 02/11/15 - 5:49pm

**GENERAL NOTES:**

1. ALL STRUCTURAL STEEL, UNLESS OTHERWISE NOTED, SHALL BE ASTM A-36, MINIMUM YIELD STRENGTH 36,000 PSI.
2. ALL ALUMINUM MEMBERS, UNLESS OTHERWISE NOTED, SHALL BE OF ALLOY 6063-T5.
3. ALL HOLES TO BE DRILLED OR PUNCHED.
4. STEEL WELDING SHALL CONFORM TO AMERICAN WELDING SOCIETY STANDARD D1-1-80.
5. ALUMINUM WELDING SHALL CONFORM TO AMERICAN WELDING SOCIETY STANDARD D1. 2-97. ELECTRODES SHALL CONFORM TO AWS/SFA 5.10 CLASS ER4043.



REFERENCE DRAWINGS		REVISIONS				
NUMBER	Rev	DESCRIPTION	No	DATE	BY	DESCRIPTION

100% FOR REVIEW

**REGIONAL TRANSIT AUTHORITY**



DESIGNED	M.R.R.	8-1-2014
DRAWN	E.M.B.	8-1-2014
CHECKED	M.R.R.	8-1-2014
APPROVED	W.J.T.	8-1-2014

SCALE

**CEMETERIES TRANSIT CENTER**  
 (CANAL BLVD. BUS & STREETCAR TERMINAL)  
 RTA PROJECT No. 2012-18

SHELTER ELEVATIONS



DRAWING NO. A-005 SHEET -