

OVERALL SITE DATA	
278 TOTAL UNITS / 16.87 ACRES APPROX 16.48 UNITS PER ACRE	
9	3 STORY APARTMENT BUILDINGS
2	4 STORY APARTMENT BUILDINGS
1	MAIL KIOSK
2	6 CAR GARAGE
1	4 CAR GARAGE / PET SPA / MAINTENANCE


NOTE: ARCHITECTURAL SITE PLAN IS FOR REFERENCE ONLY TO INDICATE DETAILED COMPONENTS REPRESENTED ON THE SITE. REFER TO CIVIL DRAWINGS FOR ANY DIMENSIONAL DATA, ACCESSIBLE ROUTES, TRAFFIC DIRECTION AND FLOW, OR GRADING.

UNIT MIX AND BUILDING SCHEDULE													
BUILDING #	TYPE	NO. OF STORIES	UNIT TYPE 1	UNIT TYPE 1 ACCESSIBLE	UNIT TYPE 2	UNIT TYPE 2 ACCESSIBLE	UNIT TYPE 3	UNIT TYPE 3 ACCESSIBLE	UNIT TYPE 4	UNIT TYPE 5	UNIT TYPE 5 ACCESSIBLE	TOTAL UNITS	ATTACHED GARAGES
1	A	3 stories / 4 units per floor					6	0	2	4	0	12	0
2	B (mirror)	3 stories / 4 units per floor					6	0	2	4	0	12	2
3	B	3 stories / 4 units per floor					6	0	2	4	0	12	2
4	C	3 stories / 4 units per floor					6	0	2	4	0	12	2
5	D	3 stories / 8 units per floor					12	0	4	8	0	24	4
6	G	3 stories / 5 units per floor					9	0	2	4	0	15	0
7	G	3 stories / 5 units per floor					9	0	2	4	0	15	0
8	F	3 stories / 8 units per floor					11	1	4	7	1	24	3
9	E	3 stories / 8 units per floor					12	0	4	8	0	24	2
10	H	4 stories / 16 units per floor	51	1	11	1						64	0
11	H	4 stories / 16 units per floor	51	1	11	1						64	0
TOTAL UNITS			102	2	22	2	77	1	24	47	1	278	15
% EACH TYPE			36.5%	.8%	8%	.8%	27.5%	.4%	8.5%	17%	.4%	100%	

UNIT SQUARE FOOTAGE SCHEDULE			
UNIT TYPE	NET LEASABLE S.F.	DECK/PATIO AREA	TOTAL NET LEASABLE AND DECK/PATIO
1 (1BR, 1BA)	777	95	872
2A (2BR, 2BA)	1084	95	1179
2B (2BR, 2BA)	1096	95	1191
3 (2BR, 2BA)	1165	118	1283
4 (2BR, 2BA)	1171	118	1289
5 (3BR, 3BA)	1384	118	1502


PARKING / ACCESSIBLE SPACES			
UNIT TYPE	HIC UNITS	STANDARD UNITS	TOTAL UNITS
PARKING SPACES	18	327	345
GARAGE SPACES	2	29	31
TOTAL SPACES	20	356	376
1.35 PARKING SPACES PER APARTMENT UNIT			

HANDICAPPED ACCESSIBLE UNIT DATA				
UNIT TYPE	TOTAL UNITS	STANDARD UNITS	HIC UNITS	AV UNITS
1 (1BR, 1BA)	104	102	2	1
2 (2BR, 2BA)	24	22	2	1
3 (2BR, 2BA)	78	77	1	1
4 (2BR, 2BA)	24	24	0	0
5 (3BR, 3BA)	48	47	1	1



LEGEND	
①	INDICATES BUILDING NUMBER
*	INDICATES FIRE SPRINKLER RISER LOCATION
-----	INDICATES ACCESSIBLE ROUTES

1 ARCHITECTURAL SITE PLAN
A0.1 1" = 50'



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165



ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

ARCHITECTURAL
SITE PLAN

A0.1

LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889

studioSCARAB #2022.1




studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ROOF LEGEND


INDICATES LIMITS OF ICE & WATER SHIELD ADHERED DIRECTLY TO PLYWOOD ROOF DECKING (IN ALL VALLEYS)



2 MAIL KIOSK ROOF PLAN
 A0.2 1/4" = 1'-0"

GENERAL NOTES

- G.C. TO FURNISH & INSTALL 279 MAILBOXES W/ INTEGRATED PARCEL BOXES PER INDUSTRY STANDARD.
- FIRST FLOOR MAILBOXES SHALL BE PROVIDED & INSTALLED WITHIN THE REACH RANGES OF HANDICAPPED ACCESSIBILITY.
- ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM @ SIDING SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.



1 MAIL KIOSK FLOOR PLAN
 A0.2 1/4" = 1'-0"

ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

MAIL KIOSK FLOOR PLAN & ROOF PLAN

A0.2

studioSCARAB #2022.1



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165

studio
SCARAB
 ARCHITECTURE


LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

DATE	ISSUE
11/16/22	DAC SUBMITTAL

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

MAIL KIOSK
 ELEVATIONS


A0.3




4
 MAIL KIOSK
 ELEVATION
 A0.3 1/4" = 1'-0"

5
 MAIL KIOSK
 ELEVATION
 A0.3 1/4" = 1'-0"

ACCESSIBILITY NOTE:
 ENSURE THAT A REPRESENTATIVE NUMBER OF
 MAILBOXES ARE ACCESSIBLE AND WITHIN THE
 REACH OF A SEATED, WHEELCHAIR-BOUND
 INDIVIDUAL. ACCESSIBLE MAILBOXES ARE 15"
 MIN. TO A MAX. OF 48" A.F.F.




7
 MAIL KIOSK SHELTER
 WALL SECTION
 A0.3 1/4" = 1'-0"




6
 MAIL KIOSK SHELTER
 BUILDING SECTION
 A0.3 1/4" = 1'-0"

GENERAL NOTES


- G.C. TO FURNISH & INSTALL 279 MAILBOXES W/ INTEGRATED PARCEL BOXES PER INDUSTRY STANDARD.
- FIRST FLOOR MAILBOXES SHALL BE PROVIDED & INSTALLED WITHIN THE REACH RANGES OF HANDICAPPED ACCESSIBILITY.
- ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM @ SIDING SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.




1
 MAIL KIOSK SHELTER
 SIDE ELEVATION
 A0.3 1/4" = 1'-0"




2
 MAIL KIOSK SHELTER
 FRONT ELEVATION
 A0.3 1/4" = 1'-0"



3
 MAIL KIOSK SHELTER
 REAR ELEVATION
 A0.3 1/4" = 1'-0"



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689


DATE	ISSUE
11/16/22	DAC SUBMITTAL

studioSCARAB #2022.1

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS


FOUR-CAR GARAGE
 W/ SIX STORAGE
 UNITS / DOG SPA
 PLANS &
 ELEVATIONS

A0.5




4 FRONT ELEVATION
 A0.5 1/8" = 1'-0"


NOTE:
 FURNISH & INSTALL GARAGE DOOR OPENER & MANUAL LOCK AT ALL GARAGE DOORS TO ALLOW OPERATION DURING POWER OUTAGE.




5 REAR ELEVATION
 A0.5 1/8" = 1'-0"




6 SIDE ELEVATION
 A0.5 1/8" = 1'-0"




7 ONE-HOUR RATED DETAIL (U305)
 A0.5 NO SCALE



1 ROOF PLAN
 A0.5 1/8" = 1'-0"




2 FLOOR PLAN
 A0.5 1/8" = 1'-0"



3 FOUNDATION PLAN
 A0.5 1/8" = 1'-0"


GENERAL NOTES

- ALL TRUSSES ARE 2'-0" O.C. MAX. UNLESS NOTED OTHERWISE. ATTIC SPACE IS NOT DESIGNED FOR STORAGE.
- USE 5/8" TH. TYPE 'C', MOISTURE-RESISTANT GYPSUM BOARD AT STORAGE AND GARAGE INTERIOR WALLS.
- TRUSS SHOP DRAWINGS SHALL BE AVAILABLE ON THE JOB SITE DURING THE TIME OF INSPECTION. SHOP DRAWINGS SHALL BE SEALED, SIGNED & APPROVED BY A STRUCTURAL ENGINEER REGISTERED IN THE STATE OF FLORIDA.
- SEE STRUCTURAL DRAWINGS FOR FOOTING SIZES & DESIGN.
- FURNISH & INSTALL GARAGE DOOR OPENER & MANUAL LOCK AT ALL GARAGE DOORS TO ALLOW OPERATION DURING POWER OUTAGE.



DOOR SCHEDULE

DOOR					FRAME	HDW	REMARKS
NO.	WIDTH	HEIGHT	THICK	MAT'L.			
1	3'-0"	6'-8"	1 3/4"	A	WOOD	LOCKSET	-
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD LOCKSET	-
3	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD LOCKSET	-
4	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	FURNISH & INSTALL REMOTE DOOR OPENER
5	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	FURNISH & INSTALL REMOTE DOOR OPENER
6	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	FURNISH & INSTALL REMOTE DOOR OPENER
7	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	FURNISH & INSTALL REMOTE DOOR OPENER
8	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	FURNISH & INSTALL REMOTE DOOR OPENER
9	9'-0" OPG.	9'-0" OPG.	-	C	ALUMINUM	-	FURNISH & INSTALL REMOTE DOOR OPENER
10	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD LOCKSET	-
11	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD LOCKSET	-
12	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD LOCKSET	PROVIDE GLASS @ UPPER PANEL



FINISHES

FLOOR: SEALED CONCRETE
 WALLS: PAINTED GYPSUM BD.
 BASE: -NONE-
 CEILING: PAINTED GYPSUM BD.



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689


DATE	ISSUE
11/16/22	DAC SUBMITTAL

studioSCARAB #2022.1

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS


SIX-CAR GARAGE
W/ SIX STORAGE
UNITS

A0.6




4 FRONT ELEVATION
A0.6 1/8" = 1'-0"

NOTE:
FURNISH & INSTALL GARAGE DOOR OPENER & MANUAL LOCK AT ALL GARAGE DOORS TO ALLOW OPERATION DURING POWER OUTAGE.




5 REAR ELEVATION
A0.6 1/8" = 1'-0"




6 SIDE ELEVATION
A0.6 1/8" = 1'-0"


UL DESIGN - U305




**7 ONE-HOUR RATED
DETAIL (U305)**
A0.6 NO SCALE



1 ROOF PLAN
A0.6 1/8" = 1'-0"



2 FLOOR PLAN
A0.6 1/8" = 1'-0"




3 FOUNDATION PLAN
A0.6 1/8" = 1'-0"

GENERAL NOTES

- ALL TRUSSES ARE 2'-0" O.C. MAX. UNLESS NOTED OTHERWISE. ATTIC SPACE IS NOT DESIGNED FOR STORAGE.
- USE 5/8" TH. TYPE 'C', MOISTURE-RESISTANT GYPSUM BOARD AT STORAGE AND GARAGE INTERIOR WALLS.
- TRUSS SHOP DRAWINGS SHALL BE AVAILABLE ON THE JOB SITE DURING THE TIME OF INSPECTION. SHOP DRAWINGS SHALL BE SEALED, SIGNED & APPROVED BY A STRUCTURAL ENGINEER REGISTERED IN THE STATE OF FLORIDA.
- SEE STRUCTURAL DRAWINGS FOR FOOTING SIZES & DESIGN.
- FURNISH & INSTALL GARAGE DOOR OPENER & MANUAL LOCK AT ALL GARAGE DOORS TO ALLOW OPERATION DURING POWER OUTAGE.

DOOR TYPES



DOOR SCHEDULE


NO.	DOOR			TYPE	MAT'L.	FRAME	HDW	REMARKS
	WIDTH	HEIGHT	THICK					
1	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET	-
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET	-
3	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET	-
4	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	-	FURNISH & INSTALL REMOTE DOOR OPENER
5	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	-	FURNISH & INSTALL REMOTE DOOR OPENER
6	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	-	FURNISH & INSTALL REMOTE DOOR OPENER
7	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	-	FURNISH & INSTALL REMOTE DOOR OPENER
8	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	-	FURNISH & INSTALL REMOTE DOOR OPENER
9	9'-0" OPG.	9'-0" OPG.	-	B	FIBERGLASS	-	-	FURNISH & INSTALL REMOTE DOOR OPENER
10	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET	-
11	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET	-
12	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET	-

LEGEND

- INDICATES LIMITS OF ICE & WATER SHIELD ADHERED DIRECTLY TO PLYWOOD ROOF DECKING (IN ALL VALLEYS)
- INDICATES 2 X 4 STUDS AT 16" O.C.
- INDICATES 2 X 6 STUDS AT 16" O.C.
- INDICATES ONE-HOUR FIRE-RATED PARTITION (UL U305) SEE 7/A0.6 FOR DETAIL
- DOOR SYMBOL - SEE DOOR SCHEDULE THIS SHEET
- WINDOW SYMBOL - SEE WINDOW SCHEDULE THIS SHEET

FINISHES

FLOOR: SEALED CONCRETE
WALLS: PAINTED GYPSUM BD.
BASE: NONE
CEILING: PAINTED GYPSUM BD.



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165

studio
SCARAB
 ARCHITECTURE


LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889

DATE	ISSUE
11/16/22	DAC SUBMITTAL


The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

COMPACTOR ENCLOSURE PLAN,
 ELEVATIONS &
 SECTION


A0.10




6
 A0.10 3/4" = 1'-0"




7
 A0.10 3/4" = 1'-0"




1
 A0.10 1/8" = 1'-0"




3
 A0.10 1/8" = 1'-0"



2
 A0.10 1/8" = 1'-0"




4
 A0.10 1/8" = 1'-0"



5
 A0.10 1/8" = 1'-0"

G.C. NOTE:
 VERIFY TRASH COMPACTOR ENCLOSURE
 DIMENSIONS W/ CHOSEN SERVICE
 PROVIDER PRIOR TO CONSTRUCTION.



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165




LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

DATE	11/16/22
ISSUE	DAC SUBMITTAL


The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

BUILDINGS A&B
 OVERALL FIRST
 FLOOR PLANS


A1.1




- ### GENERAL NOTES
1. ALL FIRST FLOOR UNITS SHALL MEET FAIR HOUSING STANDARDS. SEE SHEET A1.4 DOOR DESIGN CRITERIA.
 2. SEE ARCHITECTURAL SITE PLAN FOR HANDICAP ACCESSIBLE UNIT LOCATIONS.
 3. SEE SHEET A3.6 FOR ENLARGED BREEZEWAY STAIR PLANS.
 4. PROVIDE & INSTALL (1) KEY LOCK BOX (KNOX BOX 3200 SERIES) AT SPRINKLER RISER ROOM.
 5. REFER TO ARCHITECTURAL SITE PLAN FOR SPRINKLER ROOM LOCATION & BUILDING ORIENTATION.



1
 A1.1 BUILDING TYPE A
 OVERALL FIRST FLOOR PLAN
 1/8" = 1'-0"





2
 A1.1 BUILDING TYPE B
 OVERALL FIRST FLOOR PLAN
 1/8" = 1'-0"




DOOR SCHEDULE

NO.	WIDTH	HEIGHT	THICK	TYPE	MAT'L.	FRAME	HDW
1	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
3	9'-0"	9'-0"	-	B	FIBERGLAS	-	-



1
A1.2 BUILDINGS TYPE A & TYPE B
OVERALL SECOND FLOOR PLAN
1/8" = 1'-0"



2
A1.2 BUILDINGS TYPE A & TYPE B
OVERALL THIRD FLOOR PLAN
1/8" = 1'-0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689


ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDINGS A&B
OVERALL SECOND
& THIRD FLOOR
PLANS

A1.2

studioSCARAB #2022.1



1
BUILDING TYPE C
OVERALL FIRST FLOOR PLAN
 A1.3 1/8" = 1'-0"

PLAN DIAGRAMS


UNIT TYPE

FIRST & SECOND FLOOR THIRD FLOOR

NOTE:
 ALL FIRST FLOOR UNITS SHALL MEET FAIR HOUSING STANDARDS.

GENERAL NOTES

- ALL FIRST FLOOR UNITS SHALL MEET FAIR HOUSING STANDARDS. SEE SHEET A1.4 DOOR DESIGN CRITERIA.
- SEE ARCHITECTURAL SITE PLAN FOR HANDICAP ACCESSIBLE UNIT LOCATIONS.
- SEE SHEET A3.6 FOR ENLARGED BREEZEWAY STAIR PLANS.
- PROVIDE & INSTALL (1) KEY LOCK BOX (KNOX BOX 3200 SERIES) AT SPRINKLER RISER ROOM.
- REFER TO ARCHITECTURAL SITE PLAN FOR SPRINKLER ROOM LOCATION & BUILDING ORIENTATION.



2
BUILDING TYPE B(MIRRORED)
OVERALL FIRST FLOOR PLAN
 A1.3 1/8" = 1'-0"

DOOR SCHEDULE

NO.	DOOR			TYPE	MAT'L.	FRAME	HDW
	WIDTH	HEIGHT	THICK				
1	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
3	9'-0"	9'-0"	-	B	FIBERGLAS	-	-

DOOR TYPES

(A) SPRINKLER RISER/ DATA ROOM (B) SEE A0.6

studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165

studio SCARAB
 ARCHITECTURE

LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689




DATE	11/16/22
ISSUE	DAC SUBMITTAL

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDINGS C & B(MIRRORED)
OVERALL FIRST FLOOR PLANS

A1.3

studioSCARAB #2022.1



1
A1.4 BUILDINGS TYPE C & TYPE B(MIRRORED)
OVERALL SECOND FLOOR PLAN
1/8" = 1'-0"

2
A1.4 BUILDINGS TYPE C & TYPE B(MIRRORED)
OVERALL THIRD FLOOR PLAN
1/8" = 1'-0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165




LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ISSUE	DATE
DAC SUBMITTAL	11/16/22


The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDINGS C &
B(MIRRORED)
OVERALL SECOND
& THIRD FLOOR
PLANS

A1.4



PLAN DIAGRAMS




GENERAL NOTES

1. ALL FIRST FLOOR UNITS SHALL MEET FAIR HOUSING STANDARDS. SEE SHEET A1.4 DOOR DESIGN CRITERIA.
2. SEE ARCHITECTURAL SITE PLAN FOR HANDICAP ACCESSIBLE UNIT LOCATIONS.
3. SEE SHEET A3.6 FOR ENLARGED BREEZEWAY STAIR PLANS.
4. PROVIDE & INSTALL (1) KEY LOCK BOX (KNOX BOX 3200 SERIES) AT SPRINKLER RISER ROOM.
5. REFER TO ARCHITECTURAL SITE PLAN FOR SPRINKLER ROOM LOCATION & BUILDING ORIENTATION.

DOOR SCHEDULE							
NO.	DOOR			TYPE	MAT'L.	FRAME	HDW
	WIDTH	HEIGHT	THICK				
1	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
3	9'-0"	9'-0"	-	B	FIBERGLAS	-	-

DOOR TYPES



1
A1.5
BUILDING TYPE D
OVERALL FIRST FLOOR PLAN
 1/8" = 1'-0"



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689



ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDING D
OVERALL FIRST
FLOOR PLANS

A1.5


studioSCARAB #2022.1



- ### GENERAL NOTES
1. ALL FIRST FLOOR UNITS SHALL MEET FAIR HOUSING STANDARDS. SEE SHEET A1.4 DOOR DESIGN CRITERIA.
 2. SEE ARCHITECTURAL SITE PLAN FOR HANDICAP ACCESSIBLE UNIT LOCATIONS.
 3. SEE SHEET A3.6 FOR ENLARGED BREEZEWAY STAIR PLANS.
 4. PROVIDE & INSTALL (1) KEY LOCK BOX (KNOX BOX 3200 SERIES) AT SPRINKLER RISER ROOM.
 5. REFER TO ARCHITECTURAL SITE PLAN FOR SPRINKLER ROOM LOCATION & BUILDING ORIENTATION.

DOOR SCHEDULE

NO.	DOOR			TYPE	MAT'L.	FRAME	HDW
	WIDTH	HEIGHT	THICK				
1	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
3	9'-0"	9'-0"	-	B	FIBERGLAS	-	-



FURNISH & INSTALL 4" TH. CONCRETE PAD FOR (3) CONDENSERS - VERIFY ALL CLEARANCES TYP.

FURNISH & INSTALL RECESSED KNOXBOX 3200 SERIES

SPRINKLER RISER

DATA

FURNISH & INSTALL 4" TH. CONCRETE PAD FOR (3) CONDENSERS - VERIFY ALL CLEARANCES TYP.

1
A1.6 BUILDING TYPE E
OVERALL FIRST FLOOR PLAN
1/8" = 1'-0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165





LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDING E
OVERALL FIRST
FLOOR PLANS


A1.6



- ### GENERAL NOTES
- ALL FIRST FLOOR UNITS SHALL MEET FAIR HOUSING STANDARDS. SEE SHEET A1.4 DOOR DESIGN CRITERIA.
 - SEE ARCHITECTURAL SITE PLAN FOR HANDICAP ACCESSIBLE UNIT LOCATIONS.
 - SEE SHEET A3.6 FOR ENLARGED BREEZEWAY STAIR PLANS.
 - PROVIDE & INSTALL (1) KEY LOCK BOX (KNOX BOX 3200 SERIES) AT SPRINKLER RISER ROOM.
 - REFER TO ARCHITECTURAL SITE PLAN FOR SPRINKLER ROOM LOCATION & BUILDING ORIENTATION.

DOOR SCHEDULE

NO.	DOOR			TYPE	MAT'L.	FRAME	HDW
	WIDTH	HEIGHT	THICK			WOOD	LOCKSET
1	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD	LOCKSET
3	9'-0"	9'-0"	-	B	FIBERGLAS	-	-
4	10'-0"	9'-0"	-	B	FIBERGLAS	-	-



1
A1.7
BUILDING TYPE F
OVERALL FIRST FLOOR PLAN
1/8" = 1'-0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165





ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1


The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDING F
OVERALL FIRST
FLOOR PLANS

A1.7



1 BUILDINGS TYPE D, E, & F
OVERALL SECOND FLOOR PLAN
A1.8 1/8" = 1'-0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165





ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1


The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDINGS D, E, & F
OVERALL SECOND
FLOOR PLANS


A1.8



1
A1.9 BUILDINGS TYPE D, E, & F
 OVERALL THIRD FLOOR PLAN
 1/8" = 1'-0"



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165




ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
DESIGN DOCUMENTS

**BUILDINGS D, E, & F
 OVERALL THIRD
 FLOOR PLANS**

A1.9



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165

studio
SCARAB
 ARCHITECTURE

LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689


DATE	11/16/22
ISSUE	
DAC SUBMITTAL	

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

BUILDING G
 OVERALL FIRST &
 SECOND FLOOR
 PLANS

A1.10

studioSCARAB #2022.1



GENERAL NOTES

1. ALL FIRST FLOOR UNITS SHALL MEET FAIR HOUSING STANDARDS. SEE SHEET A1.4 DOOR DESIGN CRITERIA.
2. SEE ARCHITECTURAL SITE PLAN FOR HANDICAP ACCESSIBLE UNIT LOCATIONS.
3. SEE SHEET A3.6 FOR ENLARGED BREEZEWAY STAIR PLANS.
4. PROVIDE & INSTALL (1) KEY LOCK BOX (KNOX BOX 3200 SERIES) AT SPRINKLER RISER ROOM.
5. REFER TO ARCHITECTURAL SITE PLAN FOR SPRINKLER ROOM LOCATION & BUILDING ORIENTATION.

SPRINKLER RISER


FURNISH & INSTALL RECESSED KNOXBOX 3200 SERIES

DATA


FURNISH & INSTALL 4" TH. CONCRETE PAD FOR (3) CONDENSERS - VERIFY ALL CLEARANCES TYP.

FURNISH & INSTALL 4" TH. CONCRETE PAD FOR (3) CONDENSERS - VERIFY ALL CLEARANCES TYP.


1
 BUILDING TYPE G
 OVERALL FIRST FLOOR PLAN
 A1.10 1/8" = 1'-0"



PLAN DIAGRAMS




DOOR TYPE



DOOR SCHEDULE

NO.	DOOR			TYPE	MAT'L.	FRAME		HDW	
	WIDTH	HEIGHT	THICK						
1	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD		LOCKSET	
2	3'-0"	6'-8"	1 3/4"	A	MTL. CLAD	WOOD		LOCKSET	

2
 BUILDINGS TYPE G
 OVERALL SECOND FLOOR PLAN
 A1.10 1/8" = 1'-0"



1 BUILDINGS TYPE G
OVERALL THIRD FLOOR PLAN
A1.11 1/8" = 1'-0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDING G
OVERALL THIRD
FLOOR PLAN

A1.11



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165

studio
SCARAB
 ARCHITECTURE


LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ISSUE	DATE
DAC SUBMITTAL	11/16/22


The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
DESIGN DOCUMENTS

**BUILDING TYPE H
 OVERALL FIRST
 & SECOND FLOOR
 PLANS**


A1.12



2 OVERALL SECOND FLOOR PLAN BLDG TYPE H
 A1.12 1/16" = 1' - 0" BUILDINGS: 10 & 11




GROSS FLOOR AREA: 19,928 S.F. PER FLOOR




TYPICAL PARTITION WALL

3 PLAN DETAIL
 A1.3 1 1/2" = 1' - 0"




1 OVERALL FIRST FLOOR PLAN BLDG TYPE H
 A1.12 1/16" = 1' - 0" BUILDINGS: 10 & 11




studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165




LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689



2 OVERALL FOURTH FLOOR PLAN BLDG TYPE H
 A1.13 1/16" = 1' - 0" BUILDINGS: 10 & 11



GROSS FLOOR AREA: 19,928 S.F. PER FLOOR



1 OVERALL THIRD FLOOR PLAN BLDG TYPE H
 A1.13 1/16" = 1' - 0" BUILDINGS: 10 & 11


ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

BUILDING TYPE H
 OVERALL THIRD
 & FOURTH FLOOR
 PLANS

A1.13

studioSCARAB #2022.1




1 ROOF PLAN
A3.1 1/8" = 1'-0"

GENERAL ROOF NOTES


- REFER TO MECHANICAL & PLUMBING DRAWINGS FOR FULL EXTENT OF REQUIRED ROOF PENETRATIONS
- FURNISH AND INSTALL TWO ROOF ACCESS HATCHES AS INDICATED ON PLANS, SEE SHEET 1/A3.1 FOR DETAIL.
- DOWNSPOUTS SHALL BE PRE-FINISHED STEEL 4" X 6" UNLESS BUILDING CODES REQUIRE DOWNSPOUTS TO BE LARGER. CONTRACTOR SHALL BE RESPONSIBLE FOR REVIEWING AND INCLUDING IN THE PRICE OF THE BID. COORDINATE WITH DOWNSPOUT BOOTS BEFORE PURCHASING ANY DOWNSPOUTS OR DOWNSPOUT MATERIAL.
- ALL ROOF INFORMATION SHOWN IN ALL CONSTRUCTION DOCUMENTS SHALL BE CONSIDERED MINIMUM REQUIREMENTS. WHERE ROOFING MANUFACTURER REQUIRES MORE STRINGENT DETAILS IN ORDER TO MEET ROOF WARRANTY, THE MANUFACTURER REQUIREMENTS SHALL RULE AND SHALL BE INCLUDED IN THE PRICE OF THE BID.
- LAPS, FLASHING, SEALANT AND FASTENERS SHALL BE PER SPECIFIED MANUFACTURER'S REQUIREMENTS TO MEET WARRANTY.
- VERTICAL ROOF PENETRATIONS SHALL BE FLASHED AND SEALED PER ROOF MANUFACTURER'S RECOMMENDATIONS TO MEET SPECIFIED WARRANTY.
- PROVIDE 1" PAINTED LETTERS AT ALL DRAFTSTOPPING TO READ: "DRAFTSTOPPING - DO NOT CUT"
- SEE SHEET A3.5 FOR TYPICAL ROOF DETAILS.
- FURNISH & INSTALL (1) LAYER OF ICE & WATER SHIELD IN ALL VALLEYS AND AT VERTICAL WALLS AT ROOF.
- REFER TO EXTERIOR ELEVATIONS FOR DOWNSPOUT LOCATIONS.
- ATTIC SPACE IS NOT DESIGNED FOR STORAGE.
- TRUSS SHOP DRAWINGS SHALL BE AVAILABLE ON THE JOB SITE DURING THE TIME OF INSPECTION. SHOP DRAWINGS SHALL BE SEALED, SIGNED & APPROVED BY A STRUCTURAL ENGINEER REGISTERED IN THE STATE OF FLORIDA.

LEGEND


- INDICATES LIMITS OF ICE & WATER SHIELD ADHERED DIRECTLY TO PLYWOOD ROOF DECKING (IN ALL VALLEYS)
- 24 GA. PRE-FINISHED BERMUDA STYLE METAL ROOF BY BERRIDGE MANUF. CO. PROVIDE & INSTALL ICE & WATER SHIELD OVER ENTIRETY OF ROOF DECK. 8 IN 12 ROOF SLOPE
- INDICATES SMOKE PARTITION IN ATTIC. EXTEND GYPSUM BOARD TO ROOF DECK AT ONE SIDE OF WALL, INSTALL ONE 3'-0" WIDE X 5'-0" HIGH, SELF CLOSING ACCESS DOOR IN EACH WALL.
- CONTINUOUS SHINGLE-TYPE RIDGE VENT (18 SQ. IN. PER LINEAL FOOT MIN.)




2 ATTIC ACCESS
A3.1 NO SCALE




4 RIDGE DETAIL (BERMUDA)
A3.1 3/4" = 1' - 0"




6 HIP DETAIL (BERMUDA)
A3.1 3/4" = 1' - 0"




8 VALLEY DETAIL (SHINGLES)
A3.1 3/4" = 1' - 0"




10 ROOF TO GABLE DETAIL
A3.1 3/4" = 1' - 0"




3 PENETRATION DETAIL
A3.1 3/4" = 1' - 0"




5 RIDGE DETAIL (SHINGLES)
A3.1 3/4" = 1' - 0"



7 HIP DETAIL (SHINGLES)
A3.1 3/4" = 1' - 0"



9 VALLEY DETAIL (BERMUDA)
A3.1 3/4" = 1' - 0"



11 WINDOW SILL TO ROOF DETAIL
A3.1 1 1/2" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165

studio
SCARAB
ARCHITECTURE


LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

DATE	ISSUE
11/16/22	DAC SUBMITTAL

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

BUILDING TYPES
A - G TYPICAL
ROOF DETAILS

A3.1



1 ROOF PLAN
 A3.2 1/16" = 1' - 0" BUILDINGS:

ROOF KEY NOTES	
(R1)	PROVIDE & INSTALL ICE & WATER SHIELD WHERE SLOPING ROOF MEETS VERTICAL WALL. EXTEND ICE & WATER SHIELD UP VERTICAL WALL 18" MINIMUM & ACROSS ROOF SURFACE 18" MINIMUM
(R2)	PROVIDE & INSTALL SHINGLE-TYPE RIDGE VENT (18 SQ. IN. PER LINEAL FOOT MIN.)
(R3)	8" MEMBRANE ROOF CURB - SEE DETAIL
(R4)	PROVIDE & INSTALL 4" X 6" ALUMINUM TUBE AT EACH END W/ SKYLIGHT PANEL SYSTEM INLAY; WASCO PRODUCTS "PINNACLE HU" SKYLIGHT SYSTEM OR APPROVED EQUAL

LEGEND	
	INDICATES LIMITS OF ICE & WATER SHIELD ADHERED DIRECTLY TO PLYWOOD ROOF DECKING (IN ALL VALLEYS & AT VERTICAL WALL/SLOPING ROOF JUNCTIONS)
	26 GA. PRE-FINISHED BERMUDA STYLE METAL ROOF PANEL SOLAR REFLECTIVE INDEX (SRI) OF 29 MINIMUM - PROVIDE & INSTALL ICE & WATER SHIELD OVER ENTIRETY OF ROOF DECK. 6 IN 12 ROOF SLOPE
	SINGLE-PLY ROOF MEMBRANE ROOF OVER 1" TH. RIGID INSULATION OVER 5/8" TH. PLYWOOD ROOF DECK. PROVIDE & INSTALL TAPERED INSULATION TO DIVERT WATER TO DRAINS AS INDICATED. SLOPE 1/4" IN 12 UNLESS NOTED OTHERWISE. (ROOF SLOPE 1/4" IN 12 MINIMUM)
	INDICATES SMOKE PARTITION IN ATTIC. EXTEND GYPSUM BOARD TO ROOF DECK AT ONE SIDE OF WALL, INSTALL ONE 3'-0" WIDE X 5'-0" HIGH, SELF CLOSING ACCESS DOOR IN EACH WALL.
	CONTINUOUS SHINGLE-TYPE RIDGE VENT (18 SQ. IN. PER LINEAL FOOT MIN.)
RD	ROOF DRAIN
OD	OVERFLOW DRAIN
	AIR-CONDITIONER COMPRESSOR UNIT

GENERAL ROOF NOTES	
1.	REFER TO MECHANICAL & PLUMBING DRAWINGS FOR FULL EXTENT OF REQUIRED ROOF PENETRATIONS
2.	ALL ROOF SLOPES SHALL BE A MINIMUM OF 1/4" IN 12, AND A MAXIMUM OF 3/8" IN 12. SEE WALL SECTIONS FOR DESIRED SLOPES. COORDINATE W/ STRUCTURAL DWGS.
3.	WHERE SINGLE-PLY MEMBRANE ROOF IS INDICATED ON ROOF PLAN, INSULATED ROOF W/ MIN. 1" TH. RIGID INSULATION.
4.	FURNISH & INSTALL CRICKETS AT ALL ROOF PENETRATIONS AS REQUIRED TO DIVERT WATER AROUND PENETRATION.
5.	FURNISH AND INSTALL TWO ROOF ACCESS HATCHES AS INDICATED ON PLANS, SEE SHEET A3.0 FOR DETAIL.
6.	SUBSTRATE BOARD: 5/8" TH. PLYWOOD COVERBOARD: A PRIMED 1/4" TH. COVER BOARD SHALL BE PROVIDED OVER THE ENTIRE ROOF
7.	WALKING PADS SHALL BE PROVIDED AROUND ALL EQUIPMENT ABUTTING THE EDGE OF EQUIPMENT TO A WIDTH OF 4'-0" AROUND EQUIPMENT. WALKING SURFACES SHALL BE PROVIDED FROM ALL ROOF ACCESS POINTS TO ALL EQUIPMENT INSTALLED ON THE ROOF WHETHER NOTED OR NOT ON THE ROOF DRAWINGS. SEE MECHANICAL, ELECTRICAL, PLUMBING, FIRE PROTECTION AND KITCHEN EQUIPMENT DRAWINGS FOR ALL ROOFTOP EQUIPMENT
8.	PROVIDE ALL TAPERED INSULATION NECESSARY TO PROPERLY DIRECT RAIN WATER OFF OF THE ROOF SUCH AS, BUT NOT LIMITED TO, PROVIDING "CRICKETS" AT ALL ROOFTOP EQUIPMENT AND CRICKETS AT PARAPETS ASSOCIATED WITH THE LOW-SIDE OF THE SLOPING ROOF
9.	DOWNSPOUTS SHALL BE PREFINISHED STEEL 4" X 6" UNLESS BUILDING CODES REQUIRE DOWNSPOUTS TO BE LARGER. CONTRACTOR SHALL BE RESPONSIBLE FOR REVIEWING AND INCLUDING IN THE PRICE OF THE BID. COORDINATE WITH DOWNSPOUT BOOTS BEFORE PURCHASING ANY DOWNSPOUTS OR DOWNSPOUT MATERIAL.
10.	ALL ROOF INFORMATION SHOWN IN ALL CONSTRUCTION DOCUMENTS SHALL BE CONSIDERED MINIMUM REQUIREMENTS. WHERE ROOFING MANUFACTURER REQUIRES MORE STRINGENT DETAILS IN ORDER TO MEET ROOF WARRANTY, THE MANUFACTURER REQUIREMENTS SHALL RULE AND SHALL BE INCLUDED IN THE PRICE OF THE BID.
11.	LAPS, FLASHING, SEALANT AND FASTENERS SHALL BE PER SPECIFIED MANUFACTURER'S REQUIREMENTS TO MEET WARRANTY.
12.	VERTICAL ROOF PENETRATIONS SHALL BE FLASHED AND SEALED PER ROOF MANUFACTURER'S RECOMMENDATIONS TO MEET SPECIFIED WARRANTY.
13.	FURNISH & INSTALL FIRE-RATED ATTIC ACCESS DOOR AT ALL BREEZEWAYS: 22" X 36" 20 GA. PTD. STEEL ACCESS DOOR KARP ASSOC. INC, MODEL# KRP-150FR
14.	ATTIC IS NOT DESIGNED FOR STORAGE.
15.	PROVIDE 1" PAINTED LETTERS AT ALL DRAFTSTOPPING TO READ: "DRAFTSTOPPING - DO NOT CUT"
16.	SEE SHEET A3.0 FOR TYPICAL ROOF DETAILS.
17.	FURNISH & INSTALL (1) LAYER OF ICE & WATER SHIELD IN ALL VALLEYS AND AT VERTICAL WALLS AT ROOF - SEE DETAILS THIS SHEET.
18.	ALL METAL ROOFS AND SHINGLE ROOFS SHALL SLOPE 6 IN 12 UNLESS NOTED OTHERWISE.
19.	REFER TO EXTERIOR ELEVATIONS FOR DOWNSPOUT LOCATIONS.
20.	ATTIC SPACE IS NOT DESIGNED FOR STORAGE.
21.	TRUSS SHOP DRAWINGS SHALL BE AVAILABLE ON THE JOB SITE DURING THE TIME OF INSPECTION. SHOP DRAWINGS SHALL BE SEALED, SIGNED & APPROVED BY A STRUCTURAL ENGINEER REGISTERED IN THE STATE OF FLORIDA.



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689


ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS


**BUILDING TYPE H
 ROOF PLAN**

A3.2

studioSCARAB #2022.1




1 SIDE ELEVATION – BLDGS. A & B
A4.1 1/8" = 1' - 0"




3 WINDOW DETAILS
A4.1 1/2" = 1' - 0"

GENERAL NOTES


1. ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.
2. ALL EXPOSED EXTERIOR WOOD FRAMING MEMBERS, SHALL BE PRESSURE-TREATED (P.T.)
3. REFER TO STRUCTURAL DRAWINGS FOR FOUNDATION DESIGN & EXTENT OF STRUCTURAL SHEATHING.



4 BRACKET DETAIL
A4.1 1" = 1' - 0"



2 FRONT ELEVATION – BLDGS. A & B
A4.1 1/8" = 1' - 0"



5 BRACKET DETAIL
A4.1 1" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165

studio
SCARAB
ARCHITECTURE


LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

EXTERIOR
ELEVATIONS
BUILDING
TYPES A&B

A4.1




1 REAR ELEVATION – BLDG. A
A4.2 1/8" = 1' - 0"

3 PARTIAL REAR ELEV @ GARAGE – BLDG. B
A4.2 1/8" = 1' - 0"


GENERAL NOTES

1. ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.
2. ALL EXPOSED EXTERIOR WOOD FRAMING MEMBERS, SHALL BE PRESSURE-TREATED (P.T.)
3. REFER TO STRUCTURAL DRAWINGS FOR FOUNDATION DESIGN & EXTENT OF STRUCTURAL SHEATHING.



2 SIDE ELEVATION – BLDGS. A & B
A4.2 1/8" = 1' - 0"

4 PARTIAL REAR ELEV @ GARAGE – BLDG. B
A4.2 1/8" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165


studio
SCARAB
ARCHITECTURE
LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889

ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

EXTERIOR
ELEVATIONS
BUILDING
TYPES A&B


A4.2



1 SIDE ELEVATION - BLDGS. C & B (MIRRORED)
 A4.3 1/8" = 1' - 0"

GENERAL NOTES

1. ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.
2. ALL EXPOSED EXTERIOR WOOD FRAMING MEMBERS, SHALL BE PRESSURE-TREATED (P.T.)
3. REFER TO STRUCTURAL DRAWINGS FOR FOUNDATION DESIGN & EXTENT OF STRUCTURAL SHEATHING.



2 FRONT ELEVATION - BLDGS. C & B (MIRRORED)
 A4.3 1/8" = 1' - 0"



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689


ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

EXTERIOR
 ELEVATIONS
 BUILDING
 TYPES C &
 B (MIRRORED)

A4.3



1 SIDE ELEVATION – BLDG. C
A4.4 1/8" = 1' - 0"

3 PARTIAL SIDE ELEV – BLDG. B (MIRRORED)
A4.4 1/8" = 1' - 0"

- GENERAL NOTES**
1. ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.
 2. ALL EXPOSED EXTERIOR WOOD FRAMING MEMBERS, SHALL BE PRESSURE-TREATED (P.T.)
 3. REFER TO STRUCTURAL DRAWINGS FOR FOUNDATION DESIGN & EXTENT OF STRUCTURAL SHEATHING.



2 REAR ELEVATION – BLDG. C
A4.4 1/8" = 1' - 0"



4 PARTIAL REAR ELEV – BLDG. B (MIRRORED)
A4.4 1/8" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165




LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889

ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

EXTERIOR
ELEVATIONS
BUILDING
TYPES C &
B (MIRRORED)

A4.4




studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165

studio
SCARAB
 ARCHITECTURE

LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ISSUE	DATE
DAC SUBMITTAL	11/16/22


studioSCARAB #2022.1



1 FRONT ELEVATION - BLDGS. D, E, & F
 A4.5 1/8" = 1' - 0"

GENERAL NOTES

1. ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.
2. ALL EXPOSED EXTERIOR WOOD FRAMING MEMBERS, SHALL BE PRESSURE-TREATED (P.T.)
3. REFER TO STRUCTURAL DRAWINGS FOR FOUNDATION DESIGN & EXTENT OF STRUCTURAL SHEATHING.




2 SIDE ELEVATION - BLDGS. D, E, & F
 A4.5 1/8" = 1' - 0"


The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

EXTERIOR
 ELEVATIONS
 BUILDING TYPE D

A4.5



1 SIDE ELEVATION - BLDG. D
 A4.6 1/8" = 1' - 0"



2 REAR ELEVATION - BLDG. D
 A4.6 1/8" = 1' - 0"



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889

ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS


EXTERIOR
 ELEVATIONS
 BUILDING TYPE D

A4.6




1 SIDE ELEVATION – BLDG. E
A4.7 1/8" = 1' - 0"

3 PARTIAL SIDE ELEVATION – BLDG. E
A4.7 1/8" = 1' - 0"



2 REAR ELEVATION – BLDG. E
A4.7 1/8" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165

studio
SCARAB
ARCHITECTURE


LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889

ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

EXTERIOR
ELEVATIONS
BUILDING TYPE E


A4.7



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165




LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889



1 SIDE ELEVATION – BLDG. F
 A4.8 1/8" = 1' - 0"

3 PARTIAL SIDE ELEVATION – BLDG. F
 A4.8 1/8" = 1' - 0"




2 REAR ELEVATION – BLDG. F
 A4.8 1/8" = 1' - 0"

ISSUE	DATE
DAC SUBMITTAL	11/16/22

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

EXTERIOR
 ELEVATIONS
 BUILDING TYPE F

A4.8



1 SIDE ELEVATION — BLDG. G
A4.9 1/8" = 1' - 0"


GENERAL NOTES	
1.	ALL WINDOW/DOOR TRIM, DECORATIVE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, & CORNER TRIM SHALL BE MIRATEC COMPOSITE TRIM, OR EQUIVALENT.
2.	ALL EXPOSED EXTERIOR WOOD FRAMING MEMBERS, SHALL BE PRESSURE-TREATED (P.T.)
3.	REFER TO STRUCTURAL DRAWINGS FOR FOUNDATION DESIGN & EXTENT OF STRUCTURAL SHEATHING.



2 FRONT ELEVATION — BLDG. G
A4.9 1/8" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165



ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1


The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

EXTERIOR
ELEVATIONS
BUILDING
TYPE G


A4.9



1 SIDE ELEVATION – BLDG. G
 A4.10 1/8" = 1' - 0"



2 REAR ELEVATION – BLDG. G
 A4.10 1/8" = 1' - 0"



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889

ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1


The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
 DESIGN DOCUMENTS

EXTERIOR
 ELEVATIONS
 BUILDING
 TYPE G


A4.10



1 PARTIAL FRONT ELEVATION - BLDG. H
A4.11 1/8" = 1' - 0"



4 CANOPY ELEVATION
A4.11 1/2" = 1' - 0"



2 PARTIAL FRONT ELEVATION - BLDG. H
A4.11 1/8" = 1' - 0"

3 END ELEVATION - BLDG. H
A4.11 1/8" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165



LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0689

ISSUE	DATE
DAC SUBMITTAL	11/16/22


The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

EXTERIOR
ELEVATIONS
BUILDING
TYPE H

A4.11




1 PARTIAL REAR ELEVATION – BLDG. H
A4.12 1/8" = 1' - 0"



5 PORCH ENTRY ELEVATION
A4.12 1/8" = 1' - 0"



2 PARTIAL REAR ELEVATION – BLDG. H
A4.12 1/8" = 1' - 0"



3 SIDE ELEVATION – BLDG. H
A4.12 1/8" = 1' - 0"



4 END ELEVATION – BLDG. H
A4.12 1/8" = 1' - 0"



studioSCARAB
1012 East Fairview Ave
Montgomery, AL 36106
334.399.0783 /
334.309.6165

studio
SCARAB
ARCHITECTURE

LOUISIANA CERTIFICATE OF AUTHORITY NO. AF0889


ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1

The Village @ English Turn
a new development for
Stanton Square, LLC
New Orleans, Louisiana
DESIGN DOCUMENTS

EXTERIOR
ELEVATIONS
BUILDING
TYPE H

A4.12



1 BUILDING SECTION
 A6.0 1/8" = 1' - 0"

- ### GENERAL NOTES
1. ALL WINDOW/DOOR TRIM, DECORATE TRIM, FRIEZE BOARDS, COLUMN & COLUMN TRIM, FASCIA BOARDS, RAKE TRIM, CORNER TRIM & SIDING SHALL BE FIBER-CEMENT TYPE.
 2. ALL EXPOSED EXTERIOR WOOD FRAMING MEMBERS, A SHALL BE PRESSURE-TREATED (P.T.)
 3. REFER TO STRUCTURAL DRAWINGS FOR FOUNDATION DESIGN & EXTENT OF STRUCTURAL SHEATHING.
 4. FURNISH & INSTALL EXPANSION/CONTRACTION JOINTS IN GYPSUM BOARD WALLS/CEILINGS EXCEEDING 24'-0" IN LENGTH AND/OR 12'-0" IN HEIGHT. JOINTS TO COINCIDE W/ C.J. IN FLOOR OR CEILING. NO JOINTS ALLOWED IN FIRE-RATED WALLS.
 5. ALL FOUNDATIONS ARE DIAGRAMMATIC, REFER TO STRUCTURAL DRAWINGS FOR EXACT SIZE & CONFIGURATION.



studioSCARAB
 1012 East Fairview Ave
 Montgomery, AL 36106
 334.399.0783 /
 334.309.6165



ISSUE	DATE
DAC SUBMITTAL	11/16/22

studioSCARAB #2022.1

The Village @ English Turn
 a new development for
 Stanton Square, LLC
 New Orleans, Louisiana
DESIGN DOCUMENTS

**BUILDING SECTIONS
 BUILDING TYPE H**

A6.0